#### M1 Tip-up Seat





## **Bulkhead Tip-up Seat**

A compact but comfortable seat for occasional use. Well designed for bulkhead/body mounting with a spring assisted seat return.



- Available 400 to 430mm wide
- Choice of Fabrics and piping
- Option of either lap belt or lap & diagonal
- Concealed mounting points
- Designed for rear facing installation
- Floor fixing frame available








#### M1 High Back Seat

This seat is a derivative of our very popular semi-high back range providing additional Comfort within its styled contour shape.

The seat has satisfied the strength and anchorage positional requirements of 76/115/EEC as amended by 96/38/EC for M1 loading\* when mounted on a steel plate.

- \*Available in double and treble format to M2 loading.
- Fitted with either integral lap and diagonal or all age belts.
- Choice of fabrics and piping.
- Alternative width and height options.
- Legs accept various quick release fittings.
- Extensive accessory range.
- Certificate of conformity








## M1 Semi-high back seat



The most popular seat in our range combining comfort and durability with style. The seat has satisfied the strength and anchorage positional requirements of 76/115/EEC as amended by 96/38/EC for M1 loading\* when mounted on a steel plate.

- \*Available in double and treble format to M2 loading.
- Fitted with either lap and diagonal or all age belts.
- Choice of fabrics and piping.
- Alternative width and height options.
- Legs accept various quick release fittings.
- Extensive accessory range.
- Certificate of conformity







All Dimension in mm

### Tip & Fold Seat (MK 2)



This compact seat has been specifically designed for use in wheelchair accessible vehicles, folding away in a minimum area allowing maximum gangway space for access. The seat has satisfied the strength and anchorage positional requirements of 76/115/EEC as amended by 96/38/EC for M1 loading when mounted on a steel plate.

- Fitted with either integral lap and diagonal or all age belts.
- Choice of fabrics and piping.
- Height variation to suit all wheel arch types.
- Extensive accessory range.
- Simple operating mechanism to suit offside or nearside installation.
- · Certificate of conformity





# **Accessory range**



**Moulded Headrest** 



**Grab Handle with trimmed headrest** 



**Armrest** 





**Allage Belt** 

